MOORED OBSERVATIONS OF INTERNAL SOLITONS IN THE NORTHEASTERN SOUTH CHINA



SEA



By

Steven R. Ramp

and the ASIAEX Moorings Group:


David Tang, Jim Lynch, Ching-Sang Chiu, Tim Duda, Neal Pettigrew, Y. J. Yang, and Tony Liu


a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	UU	41	REST STIBILE I ENSON		
16. SECURITY CLASSIFIC		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON			
15. SUBJECT TERMS							
14. ABSTRACT							
13. SUPPLEMENTARY NO Also see: M001452	otes 2, The original docu	ment contains color	images.				
12. DISTRIBUTION/AVAI Approved for pub	LABILITY STATEMENT lic release, distribut	ion unlimited					
					11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)					10. SPONSOR/MONITOR'S ACRONYM(S)		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) ASIAEX Moorings Group					8. PERFORMING ORGANIZATION REPORT NUMBER		
					5f. WORK UNIT NUMBER		
					5e. TASK NUMBER		
China Sea 6. AUTHOR(S)					5d. PROJECT NUMBER		
					5c. PROGRAM ELEMENT NUMBER		
					5b. GRANT NUMBER		
4. TITLE AND SUBTITLE Moored Observations of Internal Solitions in the Northeastern South				5a. CONTRACT NUMBER N00014-99-1-0275			
1. REPORT DATE 01 DEC 2002		2. REPORT TYPE N/A		3. DATES COVERED -			
including suggestions for reducing	completing and reviewing the collect g this burden, to Washington Headqu ould be aware that notwithstanding a OMB control number.	uarters Services, Directorate for Info	rmation Operations and Repor	ts, 1215 Jefferson Davi	s Highway, Suite 1204, Arlington		


Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and

Report Documentation Page

Form Approved OMB No. 0704-0188









A Sample Wave

ASIAEX MOORING S7 (350 m) TEMPERATURE




MOORING S7 u-VELOCITY

(2-Hour High-Pass Data)



MOORING S7 v-VELOCITY


(2-Hour High-Pass Data)



GMT Hour May 9, 2001


MOORING S7 w-VELOCITY

(2-Hour High-Pass Data)




GMT Hour May 8, 2001

Solitons and surface roughness: How it works




Where Are They Generated?


Direction




Polar Direction




Speed








Soliton Direction Histogram ASIAEX 2000 IW1 100m ADCP bin u-thesh+50








Direction


ion Polar Direction


Speed
























How Do They Propagate?


SOLITON PROPAGATION: U-COMPONENT AT 60 M DEPTH



SOLITON PHASE SPEED CALCULATIONS


Date	S7 time	S5 time	dt(hrs) x(k	m) speed(m/s)
May 6 2001	126.34351	126.49999	3.7555 1	6.6 1.22
May 6 2001	126.80453	126.95345	3.5741 1	6.6 1.29
May 7 2001	127.32942	127.49513	3.9770 1	6.6 1.16
May 7 2001	127.81335	127.96595	3.6624 1	6.6 1.26
May 8 2001	128.33130	128.51666	4.4486 1	6.6 1.03
May 9 2001	129.32694	129.51666	4.5533 1	6.6 1.01
May 9 2001	129.45191	129.63332	4.3538 1	6.6 1.06
May 9 2001	129.92265	130.09234	4.0726 1	6.6 1.13
May 12 2001	132.00210	132.13331	3.1490 1	6.6 1.46
May 12 2001	132.33189	132.46874	3.2844 1	6.6 1.40
May 13 2001	133.36571	133.48888	2.9561 1	6.6 1.56
May 14 2001	134.43980	134.57152	3.1613 1	6.6 1.46


So, at 4.5 days to propagate from the Luzon Strait to the ASIAEX Site, the true phase relation of the "groups" with the tide looks like this!





What Happens When They Hit The Continental Shelf?


[With Application to Elevation Waves]



















Direction


S5, 60 m Thresh = 20


Polar Direction




Speed










SUMMARY

- At least three soliton generation regions for the continental shelf in the northeastern SCS
 - Luzon Strait
 - Dongsha Island (Pratis Reef)
 - Local Continental Shelf Break
- Luzon Strait waves
 - Generated on neap tide when semidiurnal
 - Travel WNW towards 282° at about 1- 1.4 m s⁻¹
- Mode-1 Waves Dominant
- Wave field on shelf very complicated, multiple sources interacting

Future Work

- Need Full-Year Time Series for Predictability
 - Waves generated year-round?
- Need Concurrent Observations at Generation Site
 - Relationship between generation and barotropic tide
- Need Mid-Basin Observations
 - Spatial variation in propagation speed and vertical structure


Extra Slides for Questions





Direction


Polar Direction


Speed

















ASIAEX SCS MOORED ARRAY: MEAN VELOCITY COMPONENTS FROM ALL MOORINGS



ASIAEX MOORINGS: MEAN CURRENT VECTORS



ASIAEX MOORINGS: VARIANCE ALONG PRINCIPAL AXES



WIND VECTORS FROM TUNGSHA AND OCEAN BUOY

